

Danach


Im Haupttemplate das erstellte Template einbinden:

The screenshot displays the TYPO3 backend interface for editing a template. The main content area is divided into several sections:


- Include basis template:** This section contains a text input field and a button labeled "Templatewahl [4]". A handwritten arrow labeled "2." points to this button.
- Static template files from T3 Extensions:** This section includes a search bar with the text "Suchbegriff:" and a dropdown menu set to "Diese Seite".
- Include static (from extensions):** This section has two columns: "Ausgewählt:" and "Objekte:". Both columns contain the entry "CSS Styled Content (css_styled_content)".

On the left side, a file explorer shows the site structure. A folder named "Templates" is highlighted, and a handwritten arrow labeled "1." points to it. The "Templates" folder is expanded, showing a sub-folder "Template (1)" which contains a "Template title: [Ref]" and a "+ Templatewahl 1" button.

Danach zurück in das Backend und im Roottemplate in den Constant Editor,



Danach die Kategorie auswählen:



Wird jetzt Layout-2 ausgewählt, wird der String layout2 die Variable \$tpl geschrieben.

Im Setup:

```

page.1 {
    template = FILE
    template.file = fileadmin/templates/multiflex3/{$tpl}.html
    workOnSubpart = DOKUMENT
    subparts {
        INHALT < styles.content.get
        MENU_TOP < temp.menuTop
    }
}

```

wird nun die Datei layout2.html eingelesen.
Voila!